

View Online at https://aerobasegroup.com/nsn/5935-01-200-6667

Thread Class: 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Rectangular shape **Overall Length:** 2.719 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.594 inches **Overall Height:** 0.650 inches **Overall Width:** 1.234 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.766 inches **Threaded Device Type:** Coupling facility and back shell Mating End Quantity: 12 **Contact Position Arrangement Style:** 75 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 40 and 40 and 32 **Thread Size:** 0.112 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Shell Material:** Aluminum **Shell Surface Treatment:** Anodize and dichromate potassium

Insert Material Specification:

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end



Shell Guide Type And Location Designator:

C slot

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.