Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-202-4391

| view Online at https://aerobasegroup.com/nsh/5555-01-202-4551 |
|---|
| Thread Class:   |
| 2b  |
| Thread Direction:   |
| Right-hand  |
| Body Style:   |
| Straight shape  |
| Overall Length:   |
| 3.132 inches  |
| Overall Height:   |
| 1.225 inches  |
| Overall Width:  |
| 0.608 inches  |
| Environmental Protection:                                     |
| Cold resistant and heat resistant                             |
| Distance Between Mounting Facility Centers:                   |
| 2.406 inches  |
| Threaded Device Type:   |
| Mounting hole   |
| Mating End Quantity:  |
| 1   |
| Contact Removability:   |
| Nonremovable single mating end single contact grouping        |
| Contact Maximum Current Rating In Amps:                       |
| 1.0 single mating end single contact grouping                 |
| Contact Maximum Ac Voltage Rating In Volts:                   |
| 500.0 single mating end single contact grouping               |
| Shell Type:   |
| Solid   |
| Connector Locking Method:                                     |
| Friction  |
| End Application:  |
| 4920-01-111-2981  |
| Thready Qty Per Inch (tpi):                                   |
| 40  |
| Thread Size:  |
| 0.112 inches  |
| Terminal Location:  |
| Back single mating end single contact grouping                |
| Contact Material:   |
| Copper alloy single mating end single contact grouping        |
| Contact Surface Treatment:                                    |
|   |

Gold single mating end single contact grouping and nickel single mating end single contact grouping



| Insert Material:                                    |
|---|
| Plastic single mating end                           |
| Terminal Type:                                      |
| Pin single mating end single contact grouping       |
| Shell Surface Treatment:                            |
| Zinc  |
| Included Contact Quantity:                          |
| 50 single mating end single contact grouping        |
| Included Contact Type:                              |
| Round pin single mating end single contact grouping |
| Precious Material And Location:                     |
| Contact surfaces gold                               |
| Precious Material And Weight:                       |
| 0.050 gold grains, troy                             |
| Precious Material:                                  |
| Gold  |
| Thread Series Designator:                           |
| Unef  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:                                    |
|   |
| Demilitarization:                                   |
| No  |
| Fiig:   |
| A039b0  |
|   |