## NSN 5935-01-202-6220

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-202-6220 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.549 inches **Overall Height:** Between 1.552 inches and 1.573 inches **Overall Width:** Between 1.552 inches and 1.573 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.250 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Distance From Mounting Shoulder To Front Face:** Between 0.556 inches and 0.566 inches **Threaded Device Type:** Back shell **Mating End Quantity: Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 352.0 **Shell Type:** Solid **Connector Locking Method:** Bayonet pin Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.312 inches **Insert Material:** Rubber single mating end **Shell Material:** Steel

**Passivate** 

**Shell Surface Treatment:** 

## NSN 5935-01-202-6220

Electrical Receptacle Connector Body - Page 2 of 2



## Shell Surface Treatment Specification: Qq-p-35 federal specification single treatment response Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.013 gold grains, troy Precious Material: Gold Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: - Demilitarization:

No Fiig: A039b0