Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-203-3713

Thread Direction:

Right-hand

Overall Length:

8.000 inches

Overall Height:

1.115 inches

Overall Width:

1.000 inches

Unthreaded Mounting Hole Diameter:

0.120 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

2 rows of contacts non-inserted board all mating ends

Contact Removability:

Nonremovable all mating ends single contact grouping

Connector Locking Method:

Friction

Terminal Location:

Back all mating ends single contact grouping

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping and nickel all mating ends single contact grouping

Insert Material:

Plastic epoxy all mating ends and glass all mating ends

Contact Surface Treatment Specification:

Mil-g-45204, type 2, class 1 3rd treatment response federal specification all mating ends single contact grouping and qq-n-290, cl 2 1st

treatment response federal standard all mating ends single contact grouping

Terminal Type:

Pin all mating ends single contact grouping

Contact Material Specification:

Qq-c-530 federal specification single material response all mating ends single contact grouping or qq-c-533 federal specification single material response all mating ends single contact grouping or qq-b-750 federal specification single material response all mating ends single contact grouping

Shell Material:

Metal

Color:

Natural

Cold

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.140 gold grains, troy

Precious Material:

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.