

View Online at <https://aerobasegroup.com/nsn/5935-01-203-3993>

Thread Class:

2a and 3b

Thread Direction:

Right-hand and right-hand and right-hand

Body Style:

Rectangular shape center screwlock

Overall Length:

1.800 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches

Overall Height:

0.560 inches

Overall Width:

0.700 inches

Environmental Protection:

Humidity resistant and shock resistant and vibration resistant and fungus proof

Unthreaded Mounting Hole Diameter:

0.120 inches

Threaded Device Type:

Coupling facility and back shell

Mating End Quantity:

12

Polarization Method:

Polarization boss and guide pin/socket

Connector Locking Method:

Jackscrew

Thready Qty Per Inch (tpi):

40 and 40 and 32

Thread Size:

0.112 inches and 0.138 inches

Insert Material:

Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end

Insert Material Specification:

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end

Special Features:

2 mtg holes diagonally spaced

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.