

View Online at https://aerobasegroup.com/nsn/5935-01-206-6934

## **Thread Class:**

2a and 2b and 2a

## **Thread Direction:**

Right-hand and right-hand and right-hand

## **Body Style:**

Straight shape

## **Overall Length:**

1.533 inches

### **Overall Height:**

0.890 inches

### **Overall Width:**

0.439 inches

## Distance Between Mounting Facility Centers:

1.000 inches

### **Threaded Device Type:**

Coupling facility and mounting stud

# Mating End Quantity:

12

## **Contact Position Arrangement Style:**

9 single mating end

## Polarization Method:

Jackscrew and shell

## Shell Type:

Solid

#### **Connector Locking Method:**

Jackscrew-socket

## Thready Qty Per Inch (tpi):

32 and 32 and 40

## Thread Size:

0.138 inches and 0.138 inches and 0.112 inches

#### **Insert Material:**

Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end

#### **Shell Material:**

Aluminum

#### Shell Surface Treatment:

Anodize and dichromate potassium

## **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification

single material response single mating end

## Shell Guide Type And Location Designator:

A slot and b slot

## **Thread Series Designator:**

Unc and unc and unc



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-m-14 spec.