

View Online at <https://aerobasegroup.com/nsn/5935-01-210-6360>

Body Style:

Straight shape

Overall Length:

2.680 inches

Overall Height:

0.536 inches

Overall Width:

0.240 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of contacts non-inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

1.0 single mating end single contact grouping

Connector Locking Method:

Friction

End Application:

9virginia class cgn (41); forrestal class cv; kidd class ddg; nimitz class cvn; tactical data system, an/uva- (v); ticonderoga class cg (47); landing craft air cushion (lcac); spruance class dd (963); engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p)

Cable Opening Length:

2.520 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

Criticality Code Justification:

Feat

Terminal Type:

Tab, solder lug single mating end single contact grouping

Included Contact Quantity:

50 single mating end single contact grouping

Included Contact Type:

Flat socket single mating end single contact grouping

Special Features:

Weapon system essential

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.050 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0