NSN 5935-01-213-1873

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-213-1873

Body Style:			
Right angle type			
Overall Length:			
0.384 inches			
Overall Width:			
0.607 inches			
Body Height:			
0.238 inches			
Environmental Protection:			
Thermal shock resistant			
Mating End Quantity:			
1			
Contact Position Arrangement Style:			
2 rows of contacts non-inserted board single mating end			
Contact Removability:			
Nonremovable single mating end single contact grouping			
Contact Maximum Current Rating In Amps:			
3.0 single mating end single contact grouping			
Connector Locking Method:			
Friction			
Terminal Location:			
Side single mating end single contact grouping			
Contact Surface Treatment:			
Gold single mating end single contact grouping and nickel single mating end single contact grouping			
Insert Material:			
Glass single mating end and plastic polyamide single mating end			
Contact Surface Treatment Specification:			
Mil-g-45204, type 2 military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 2 federal			
specification 2nd treatment response single mating end single contact grouping			
Terminal Type:			
Tab, solder lug single mating end single contact grouping			
Included Contact Quantity:			
8 single mating end single contact grouping			
Included Contact Type:			
Flat pin single mating end single contact grouping			
Precious Material And Location:			
Contact surfaces gold			
Precious Material And Weight:			
0.008 gold grains, troy			
Precious Material:			
Gold			
Shelf Life:			

N/a

NSN 5935-01-213-1873

Electrical Receptacle Connector - Page 2 of 2



Unit	Of	Meas	ure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.