Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-214-1011

Body Style:
Wall type
Overall Width:
1.750 inches
Body Length:
2.875 inches
Environmental Protection:
Heat resistant and salt water resistant
Distance Between Mounting Facility Centers:
3.281 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
"3, 5-15" single mating end
Contact Removability:
Removable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
15.0 single mating end all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
125.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
125.0 single mating end all contact groupings
Polarization Method:
Contact
Terminal Location:
Side single mating end 2nd contact grouping
Contact Material:
Copper alloy single mating end all contact groupings
Terminal Type:
Screw single mating end all contact groupings
Included Contact Quantity:
2 single mating end 2nd contact grouping
Included Contact Type:
Flat socket single mating end 2nd contact grouping
Special Features:
Color ivory
Test Data Document:
81348-w-c-596 specification (includes engineering type bulleting
excludes commercial catalogs, industry directories, and similar

s, brochures, etc., that reflect specification type data in specification format; 8 ar trade publications, reflecting general type data on certain environmental е and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81348-w-c-596/11 government specification

Shelf Life:

N/a

Electrical Receptacle Connector - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0