Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-214-8588

Inread Class: b Thead Direction: Right-hand Seal Material: Rubber, silicone base Furnished tems: Strap Overal Length: 5.250 inches End Application: 4927-01-120-5727 Cable Opening Diameter: 0.500 inches Cable Opening Diameter: 0.500 inche	
Tread Direction: Right-hand Stablerial: Rubber, silicone base Eurished tems: Strap Overall Length: 5.250 inches End Application: 4327-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Quantiy: 1 Starp: Preformed packing Starpeing Quantiy: 1 Starpeing Quantiy: 1 Mounting Facility Type And Quantity: 1 threaded coupling Muterial: 0.625 inches Material: 0.4261 Size: 0.4261 Size: 0.4276 Treatment: Cadmium and nickel Size Treatent: Cadmium and nickel Size Treatent: Cadmium and nickel electroless Tread Series Designator: Vior Mari Undri Mari Undri Mari Undri Mari Cadmium nic	Thread Class:
Right-hand Seal Material: Rubber, silicone base Furnished Items: Strap Overall Length: 5.250 inches End Application: 4237-01-129-5727 Cable Opening Dameter: 0.500 inches Cable Opening Dameter: 0.500 inches Palor Preformed packing Size Designation: 10 and 11 Munting Facility Type And Quantity: 1 threaded coupling Threaded Coupling Aurnicum ality Sufface Gadinum and nickal Strape solid type Strape solid type Sufface Treatment: Cadmium and nickal, electroless Thread Size Designator: Cadmium and nickal, electroless Thread Size Insels Sufface Treatment: Cadmium and nickal, electroless Thread Size Insels Sufface Treatment: Cadmium and nickal, electroless Thread Size Insels Sufface Treatment: Cadmium and nickal, electroless Thread Size Insels Designator: Unef Shaft Shaft Shaft Sufface Treatment: Cadmium and nickal, electroless Thread Size Insels Designator: Unic Insels Designator: Unic Insels Designator: Unic Insels Designator: Cadmium and nickal, electroless Thread Size Insels Designator: Unic Insels Desig	
Seal Material: Rubber, silicone base Furnished Items: Strap Overall Longh: 5.250 inches End Application: 4927-01-129-6727 Cable Opening Diameter: 0.500 inches Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Steze Signation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Mounting Facility Type And Quantity: 1 threaded coupling Thread Size: 0.625 inches Material: Auminum alloy Surface Treatment: Cadmium and nickel Straight shape soid type Surface Treatment: Cadmium and nickel, electroless Thread Stries Dird Measure: Vira Straight shape soid type Surface Treatment: Cadmium and nickel, electroless	
Rubber, silicone base Furnished items: Strap Overall Length: 5.250 inches End Application: 42927-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 11 threaded coupling Thready Day Per Inch (tpi): 24 Material: Auminum alloy Surface Treatment: Cadmium and nickel Strage theories Surface Treatment: Cadmium and nickel, electroless Thread Streic Cadmium and nickel, electroless Thread Streic Variaget shape solid type Material: Xara Unt of Measure: Ited Streic Material: Material: Material: Material: Ma	
Furnished Items: Strap Overall Longth: 5250 inches End Application: 4327-01-129-5727 Cable Opening Dameter: 0.500 inches Cable Opening Quantity: 1 Seaf Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Threaded coupling Threaded Size: 0.625 inches Material: Aurninum alloy Strate Treatment: Cadmium and nickel, electroless Thread Size Designator: Stratignt Stape solid type Material: Aurninum alloy Stratignt Stape solid type Stratignt Stape solid type Cadmium and nickel, electroless Thread Strates Quartitie: Na Unef Stratest Stape solid type Thread Stratest Stape solid type Cadmium and nickel, electroless Thread Stratest Stape solid type Na	
Strap Overall Length: 5.250 inches End Application: 4327-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Duaneter: 0.500 inches Cable Opening Quantity: 1 Sear Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Oty Per Inch (tpi): 24 Size Designation: 0.625 inches Material: Atuminum alloy Surface Treatment: Cadmium and nickel, electroless Strapte Size Designator: Strapte Size Designator: Cadmium and nickel, electroless Thread Series Designator: Unef Shafe Their Na Cher Measure: Na Did Of Measure:	
Several Length: 5250 inches End Application: 4287-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready City Pe Inch (tpi): 24 Size Designation: 0.625 inches Matrian: Atuminum alloy Surface Treatment: Cadmium and nickel Striaght shape solid type Striaght shape solid type Cadmium and nickel, electroless Thread Size Cadmium and nickel, electroless Thread Size Designator: Cadmium and nickel, electroless Thread Size Designator: Na Dief Lie: Na Dief Lie: Na Dief Messure: Cadmium and nickel, electroless Dist L	
5.250 inches End Application: 4927-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Auminum alloy Surface Treatment: Cadmium and nickel Stright shape solid type Thread Size: Oradium and nickel, electroless Thread Size Stright shape solid type Stright shape solid type Thread Size: Outing The Treatment: Cadmium and nickel, electroless Thread Size: Naterial: Naterial: Stright shape solid type Stright shape solid type Thread Size: Outing The Size: Stright shape solid type Stright shape solid type Thread Size: Stright shape solid type	
End Application: 4927-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Material: Aduminum alloy Surface Treatment: Cadmium and nickel Strate Treatment: Cadmium and nickel, electroless Thread Series Designation: Naterial: Naterial: Strate Treatment: Cadmium and nickel, electroless Thread Stries Designation: Naterial: Naterial: Naterial: Naterial: Strate Treatment: Cadmium and nickel, electroless Thread Series Designator: Naterial: Naterial: Naterial: Cadmium and nickel, electroless Thread Series Designato: Naterial: Naterial: Cadmium and nickel, electroless Thread Series Designato: Naterial: Naterial: Naterial: Cadmium and nickel, electroless Thread Series Designato: Naterial: Naterial: Naterial: Naterial: Cadmium and nickel, electroless Thread Series Designato: Naterial: Naterial: Naterial: Naterial: </th <th></th>	
4927-01-129-5727 Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Size Designation: 0.625 inches Material: Atuminum alloy Surface Treatment: Cadmium and nickel Strip Esignator: Strip Esignator: Cadmium and nickel, electroless Thread Series Designator: Indef Treatment: Cadmium and nickel, electroless Thread Series Designator: Indef Treatment: Indef Treatment: Indef Series Designator: Indef Strip Shape solid type Strip Series Designator: Indef Designator: Indef Series Designator: Indef Series Designator: Indef Series Designator: Dir Jonn Marei Nickel, electroless	
Cable Opening Diameter: 0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thread Y Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Atuminum alloy Surface Treatment: Cadmium and nickel Style Designator: Staff shape solid type Cadmium and nickel, electroless Thread Series Designator: Cadmium and nickel, electroless Thread Series Designator: Naterial: Naterial: Cadmium and nickel, electroless Thread Series Designator: Cadmium and nickel, electroless Thread Series Designator: Na Na Duff Strift Life: Na Catinum and nickel, electroless Thread Series Designator: Lind / Measure: Na <th></th>	
0.500 inches Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: Na Unit Of Measure:	
Cable Opening Quantity: 1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Streis Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Streis Designator: Na Unef Surface Treatment: Cadmium and nickel, electroless Thread Stries Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Stries Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Stries Designator: Dird Measure:	
1 Seal Type: Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Size: Unef Shelf Life: N/a Unit Of Measure: Thread Stries Designator:	
Seal Type: Preformed packing Size Designation: 10 and 11 Moutting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Size: Outri Treat Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel Thread Series Designator: Thread Series Designator: Thread Series Designator: Thread Series Designator: Thread Series Designator	
Preformed packing Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Straight shape solid type Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Unef Surface Treatment: Unef Surface Treatment: Unef Dit of Measure: Unit of Measure:	
Size Designation: 10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Striaght shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Surface Treatment: Unef Surface Treatment: Unef Surface Treatment: Unef Dint of Measure: Unit of Measure:	
10 and 11 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shel Life: N/a Unit Of Measure:	Preformed packing
Hounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shell Life: N/a Dint Of Measure:	Size Designation:
1 threaded coupling Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	10 and 11
Thready Qty Per Inch (tpi): 24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unef	Mounting Facility Type And Quantity:
24 Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: Na Thi Of Measure:	1 threaded coupling
Thread Size: 0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unt Of Measure:	Thready Qty Per Inch (tpi):
0.625 inches Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	24
Material: Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Thread Size:
Aluminum alloy Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	0.625 inches
Surface Treatment: Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Material:
Cadmium and nickel Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Aluminum alloy
Style Designator: Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Surface Treatment:
Straight shape solid type Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Cadmium and nickel
Surface Treatment: Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Style Designator:
Cadmium and nickel, electroless Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure: 	Straight shape solid type
Thread Series Designator: Unef Shelf Life: N/a Unit Of Measure:	Surface Treatment:
Unef Shelf Life: N/a Unit Of Measure:	Cadmium and nickel, electroless
Shelf Life: N/a Unit Of Measure:	Thread Series Designator:
N/a Unit Of Measure: 	Unef
Unit Of Measure:	Shelf Life:
-	N/a
	Unit Of Measure:
Demilitarization:	
	Demilitarization:
No	No

NSN 5935-01-214-8588

Electrical Connector Backshell - Page 2 of 2

Fiig: A10100

