## NSN 5935-01-219-1981

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-219-1981 **Thread Class:** 2a and 3b **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape, rectangular **Overall Length:** 3.430 inches **Overall Height:** 0.870 inches **Overall Width:** 2.592 inches **Environmental Protection:** Salt water resistant and vibration resistant and shock resistant Center To Center Distance Between Mounting Facilities Parallel To Height: 0.468 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.280 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 12 **Polarization Method:** Guide pin/socket and 2 polarization posts **Connector Locking Method:** Jackscrew **End Application:** 1430-01-087-6330 Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end **Thread Series Designator:** Unc and unc and unc

N/a
Unit Of Measure:

Shelf Life:

## NSN 5935-01-219-1981

Electrical Receptacle Connector Body - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.