

View Online at <https://aerobasegroup.com/nsn/5935-01-219-1982>

Body Style:

Straight shape threaded

Overall Length:

1.765 inches

Overall Diameter:

1.750 inches

Environmental Protection:

Shock resistant and thermal shock resistant and moisture resistant and vibration resistant

Distance From Mounting Shoulder To Front Face:

0.989 inches

Mounting Facility Thickness:

0.125 inches

Mating End Quantity:

12

Contact Position Arrangement Style:

18-32 single mating end

Polarization Method:

Keyway or multiple keyway and key, multiple key groove

Insert Position In Deg:

0.0 and 95.0 and 132.0 and 232.0 and 260.0

Shell Type:

Solid

Connector Locking Method:

Bayonet pin

End Application:

1430-01-087-6330

Insert Material:

Rubber single mating end

Shell Material:

Aluminum alloy 6061 or aluminum alloy 380.0 or aluminum alloy a380.0

Shell Surface Treatment:

Nickel and copper alloy

Shell Surface Treatment Specification:

Mil-c-26074, class 3 or 4, grade b military specification single treatment response

Shell Material Specification:

Qq-a-250/11, alloy 6061, t6 federal specification single material response

Insert Material Specification:

Zz-r-765, class 2, grade 50-60 federal specification single material response single mating end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-c-26074 spec.