## NSN 5935-01-219-2995

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-219-2995 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, power type **Overall Length:** 3.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.500 inches **Overall Height: 4.375** inches **Overall Width:** 6.000 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 5.500 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 3 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Contact Shell Type: Solid **Connector Locking Method:** Friction Thready Qty Per Inch (tpi): **Thread Size:** 0.375 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping

**Insert Material:** 

Glass single mating end

## NSN 5935-01-219-2995

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Threaded stud single mating end single contact grouping
Shell Material:
Aluminum
Shell Surface Treatment:
Anodize
Included Contact Quantity:
3 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.015 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0