NSN 5935-01-221-6460

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-221-6460

Thread Class: 2b Thread Direction: Right-hand Body Style: Straight shape, internal coupling Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method: Shrinkable tubing
Thread Direction: Right-hand Body Style: Straight shape, internal coupling Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Right-hand Body Style: Straight shape, internal coupling Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Body Style: Straight shape, internal coupling Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Straight shape, internal coupling Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Overall Length: 0.770 inches Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Overall Diameter: 0.312 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Contact Position Arrangement Style: Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Sma single mating end Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Contact Removability: Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Nonremovable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Shell Type: Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Solid Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Connector Locking Method: Internally threaded coupling nut Connector Cable Strain Relief Method:
Internally threaded coupling nut Connector Cable Strain Relief Method:
Connector Cable Strain Relief Method:
Shrinkable tubing
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping
Thready Qty Per Inch (tpi):
36
Thread Size:
0.250 inches
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Included Contact Quantity:

1 single mating end single contact grouping

NSN 5935-01-221-6460Electrical Plug Connector - Page 2 of 2



Fiig: A039b0