NSN 5935-01-221-9934

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-221-9934 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 2.800 inches **Overall Diameter:** 1.370 inches **Environmental Protection:** Pressure proof and waterproof **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Removability:** Nonremovable single mating end all contact groupings **Polarization Method:** Contact **Connector Locking Method:** Detent Thready Qty Per Inch (tpi): 16 **Thread Size:** 0.750 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic epoxy single mating end and glass fiber single mating end **Terminal Type:** Solder well single mating end all contact groupings **Included Contact Quantity:** 2 single mating end 2nd contact grouping **Bushing Accommodation Hole Shape:**

Round **Included Contact Type:** Round pin single mating end all contact groupings

NSN 5935-01-221-9934

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.015 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0