## NSN 5935-01-223-4842

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-223-4842 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.765 inches **Overall Diameter:** Between 1.734 inches and 1.766 inches **Distance From Mounting Shoulder To Front Face:** 0.438 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.109 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity:** 1 **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 342.0 **Thread Size:** 1.250 inches **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Test Data Document:** 81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unef **Specification Data:** 96906-ms27474t16f35sa government specification Shelf Life: N/a **Unit Of Measure:** 

Fiig: A039b0

No

**Demilitarization:** 

## NSN 5935-01-223-4842

Electrical Receptacle Connector - Page 2 of 2



Mil-std (military Standard):

Mil-c-38999 spec.