Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-226-8359

New Online at https://defobasegroup.com/nsii/3303-01-220-0555
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Wall type
Overall Height:
1.125 inches
Overall Width:
1.390 inches
Body Length:
1.468 inches
Environmental Protection:
Heat resistant and salt water resistant
Distance Between Mounting Facility Centers:
1.750 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
3 single mating end
Contact Removability:
Nonremovable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
15.0 single mating end all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
250.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
250.0 single mating end all contact groupings
Polarization Method:
Contact
Connector Locking Method:
Friction
Thready Qty Per Inch (tpi):
32
Thread Size:
0.164 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating and all contact groupings

Copper alloy single mating end all contact groupings

NSN 5935-01-226-8359

Electrical Receptacle Connector - Page 2 of 2



Criticality Code Justification:

Feat

Terminal Type:

Screw single mating end all contact groupings

Included Contact Quantity:

2 single mating end 2nd contact grouping

Included Contact Type:

Curved socket single mating end 2nd contact grouping

Special Features:

Isolated ground; orange color

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0