NSN 5935-01-227-1492

Included Contact Quantity:

17 single mating end 1st contact grouping

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-227-1492

Body Style:
Straight shape
Overall Length:
2.729 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
0.086 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
21 single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end 1st contact grouping
Contact Material:
Copper alloy single mating end 1st contact grouping
Contact Surface Treatment:
Gold single mating end 1st contact grouping and copper single mating end 1st contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c, class 1 military specification 1st treatment response single mating end 1st contact grouping and mil-c-14550
military specification 2nd treatment response single mating end 1st contact grouping
Terminal Type:
Solder well single mating end 1st contact grouping
Shell Material:
Stainless steel
Shell Surface Treatment:
Passivate
Shell Surface Treatment Specification:
Qa-p-35 federal specification single treatment response

NSN 5935-01-227-1492

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end 1st contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.017 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Mil-std (military Standard): Mil-g-45204 spec.

Fiig: A039b0