## NSN 5935-01-228-9781

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-228-9781 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight edge type w/mounting flange **Overall Length:** 3.279 inches **Overall Height:** 0.431 inches **Overall Width:** 0.325 inches **Distance Between Mounting Facility Centers:** 2.937 inches **Board Accommodated Length:** 2.624 inches single board **Threaded Device Type:** Mounting hole **Board Accommodated Width:** 0.062 inches **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Connector Locking Method:** Friction Thready Qty Per Inch (tpi): **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** 

Gold single mating end single contact grouping **Insert Material:** Plastic single mating end

## NSN 5935-01-228-9781

Electrical Receptacle Connector - Page 2 of 2



## **Terminal Type:** Tab, solder lug single mating end single contact grouping **Included Contact Quantity:** 15 single mating end single contact grouping **Included Contact Type:** Bifurcated spring single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.015 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:**

**Demilitarization:** 

No Fiig: A039b0