## NSN 5935-01-230-3450

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-230-3450

**Body Style:** 

Straight shape, internal coupling

**Overall Length:** 

0.950 inches

**Overall Diameter:** 

0.420 inches

**Environmental Protection:** 

Cold resistant and heat resistant and humidity resistant and shock resistant and vibration resistant

**Cable Entrance Diameter:** 

Between 0.065 inches and 0.075 inches

**Mating End Quantity:** 

4

**Contact Position Arrangement Style:** 

Rf single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

120.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet latch

**Connector Cable Strain Relief Method:** 

Compression nut

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

Insert Material:

Plastic polytetrafluoroethylene single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2, type 7 federal specification 2nd treatment response single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-530, cond h federal specification single material response single mating end single contact grouping

**Shell Material:** 

Copper alloy

## NSN 5935-01-230-3450

Fiig: A039b0

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Plug Connector - Page 2 of 2



Shell Surface Treatment:
Gold and nickel
Shell Surface Treatment Specification:
Qq-n-290, cl 2, type 7 federal specification 2nd treatment response
Shell Material Specification:
Qq-b-626, comp 22, 1/2 hard federal specification single material response
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact and shell surfaces gold
Precious Material And Weight:
0.105 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No