

View Online at <https://aerobasegroup.com/nsn/5935-01-230-9667>

Thread Class:

2a

Thread Direction:

Right-hand

Electrical Insulation Feature:

Insulated completely

Body Style:

Threaded bushing mounted

Overall Length:

1.440 inches

Mounting Bushing Length:

0.400 inches

Overall Diameter:

0.950 inches

Bushing Accommodation Hole Shape:

Round

Accommodated Finger Type:

Four conductor, jumbo spherical tip single finger

Finger Accommodation Diameter:

0.282 inches single finger and 0.288 inches single finger

Finger Accommodation Length:

0.802 inches single finger

Bushing Thru-hole Accommodation Diameter:

0.695 inches

Jack Contact Arrangement Designator:

J2

Mounting Facility Type And Quantity:

1 bushing

Thready Qty Per Inch (tpi):

24

Thread Size:

0.688 inches

Terminal Type:

Tab, solder lug

Material:

Plastic, polyvinylidene fluoride insulator

Material:

Plastic polyvinylidene fluoride insulator

Surface Treatment:

Tin spring

Surface Treatment:

Tin spring

Test Data Document:

81349-mil-c-9177 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unef

Specification Data:

81349-mil-c-9177/4 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03400