## NSN 5935-01-231-1931

Aluminum alloy a380.0

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-231-1931

Body Style:
Right angle type
Overall Length:
1.435 inches
Overall Height:
0.849 inches
Overall Width:
0.460 inches
Environmental Protection:
Shock resistant and vibration resistant and moisture resistant and corrosion resistant
Unthreaded Mounting Hole Diameter:
0.096 inches
Distance Between Mounting Facility Centers:
1.215 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
51 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end or plastic polyester single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, class 1 military specification single treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Shell Material:

## NSN 5935-01-231-1931

Electrical Receptacle Connector - Page 2 of 2



Sh	ell	Surface	٦ :	Treatment:

Cadmium and chromate

**Shell Surface Treatment Specification:** 

Qq-p-416, type 2, class 3 federal specification all treatment responses

**Shell Material Specification:** 

Qq-a-591 federal specification single material response

**Insert Material Specification:** 

Mil-m-14, type sdg-f military specification single material response single mating end or mil-m-24519 military specification single material response single mating end

**Included Contact Quantity:** 

51 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.051 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

\_

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.