## NSN 5935-01-233-0750

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-233-0750 **Thread Class:** 2a and 2a and 2b **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight type **Overall Length:** 4.600 inches **Overall Height:** 0.575 inches **Overall Width:** 0.340 inches **Environmental Protection:** Corrosion resistant and shock resistant and vibration resistant and moisture resistant **Distance Between Mounting Facility Centers:** 4.300 inches **Threaded Device Type:** Mounting stud **Mating End Quantity:** 12 **Polarization Method:** Guide pin/socket and 2 polarization posts **Connector Locking Method:** Friction and latch Thready Qty Per Inch (tpi): 56 and 56 and 40 **Thread Size:** 0.086 inches and 0.086 inches and 0.086 inches **Insert Material:** Plastic diallyl phthalate single mating end and glass fiber single mating end or plastic polyester single mating end and glass fiber single mating end or plastic polyphenylene single mating end and glass fiber single mating end **Insert Material Specification:** Mil-m-14f, ty sdgf military specification all material responses single mating end **Thread Series Designator:** Unc and unc and unc Shelf Life: N/a **Unit Of Measure:** 

Fiig: A039b0

No

**Demilitarization:** 

## NSN 5935-01-233-0750

Electrical Receptacle Connector Body - Page 2 of 2



Mil-std (military Standard):

Mil-m-14f spec.