NSN 5935-01-234-7202

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.	com/nsn/5935-01-234-7202
Body Style:	
Straight shape, flush mount	
Overall Length:	
1.061 inches	
Overall Height:	
3.075 inches	
Overall Width:	
2.000 inches	
Unthreaded Mounting Hole Diameter	er:
0.120 inches	
Center To Center Distance Between	Mounting Facilities Parallel To Height:
2.783 inches	
Distance Between Centerlines Of M	ounting Facilities Parallel To Body Width:
1.437 inches	
Distance From Mounting Shoulder	Γο Front Face:
0.060 inches	
Mating End Quantity:	
2	
Contact Position Arrangement Style) :
40c1 all mating ends	
Contact Removability:	
Nonremovable all mating ends all con-	act groupings
Contact Maximum Current Rating In	Amps:
7.5 all mating ends 2nd contact group	ing
Polarization Method:	
3 polarization posts and mating end	
Shell Type:	
Solid	
Connector Locking Method:	
Friction	
Terminal Location:	
Back all mating ends all contact group	ings
Contact Material:	

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold all mating ends all contact groupings

Insert Material:

Plastic melamine all mating ends or plastic phenolic all mating ends

Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response all mating ends all contact groupings

Terminal Type:

Solder well all mating ends all contact groupings

NSN 5935-01-234-7202

Electrical Receptacle Connector - Page 2 of 2



Contact Material Specification:
Qq-c-533 federal specification single material response all mating ends all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification all treatment responses
Shell Material Specification:
Qq-a-591, a380 federal specification single material response
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.088 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Deminitarizat

No **Fiig:**

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.