Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-235-6558

**Body Style:** 

Straight shape

**Overall Length:** 

2.220 inches

# **Overall Height:**

0.355 inches

**Overall Width:** 

0.455 inches

#### Mating End Quantity:

1

#### Contact Removability:

Nonremovable single mating end single contact grouping

#### Contact Maximum Current Rating In Amps:

1.0 single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

300.0 single mating end single contact grouping

#### **Polarization Method:**

Mating end

**Connector Locking Method:** 

Friction

# **Terminal Location:**

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

#### **Insert Material:**

Plastic polyester single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204, type ii, grade c, class 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290,

class 2 federal specification 2nd treatment response single mating end single contact grouping

# **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end single contact grouping

## Insert Material Specification:

Mil-m-24519, type gpt-15f, gpt-20f or gpt-30f military specification single material response single mating end

#### **Included Contact Quantity:**

50 single mating end single contact grouping

#### Included Contact Type:

Round pin single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold

## **Precious Material And Weight:**

0.050 gold grains, troy

# NSN 5935-01-235-6558

Electrical Plug Connector - Page 2 of 2



# Precious Material:

Gold

# Test Data Document:

81349-mil-c-83503 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-c-83503/23 government specification

Shelf Life: N/a Unit Of Measure: --Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.