

View Online at https://aerobasegroup.com/nsn/5935-01-236-6607

Body Style:
Straight edge type
Overall Length:
2.570 inches
Overall Height:
0.841 inches
Overall Width:
0.531 inches
Unthreaded Mounting Hole Diameter:
Between 0.125 inches and 0.131 inches
Distance Between Mounting Facility Centers:
Between 2.297 inches and 2.303 inches
Board Accommodated Width:
0.093 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of independent contacts inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
2 polarization posts
Connector Locking Method:
Friction

Back single mating end single contact grouping

**Contact Material:** 

**Terminal Location:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## **Contact Surface Treatment Specification:**

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

#### **Criticality Code Justification:**

Feat

### **Terminal Type:**

Tapered pin single mating end single contact grouping

# **Contact Material Specification:**

Qq-c-533 federal specification single material response single mating end single contact grouping

## **Included Contact Quantity:**

17 single mating end single contact grouping

### **Included Contact Type:**

Round pin single mating end single contact grouping



# **Special Features:**

Polarization post at position 4 and 16

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.017 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.