NSN 5935-01-239-4006

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-239-4006 **Thread Class:** 2g **Thread Direction:** Left-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.016 inches **Overall Height:** 3.250 inches **Overall Width:** 3.250 inches **Environmental Protection:** Humidity resistant and moisture resistant and corrosion resistant and shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.281 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.531 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.531 inches **Distance From Mounting Shoulder To Front Face:** 1.000 inches **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 245.0 single mating end 1st contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 900.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 1250.0 single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0

Shell Type:

Solid

Connector Locking Method:

Externally threaded shell

NSN 5935-01-239-4006

Electrical Receptacle Connector - Page 2 of 2



Thready Qty Per Inch (tpi):
18 and 4
Thread Size:
2.613 inches and 3.000 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Silver single mating end all contact groupings
Insert Material:
Rubber synthetic single mating end
Terminal Type:
Solder well single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Included Contact Quantity:
5 single mating end 1st contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.035 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Npt and acme
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0