

View Online at <https://aerobasegroup.com/nsn/5935-01-240-2297>

Thread Class:

2a and 2a and 2b

Thread Direction:

Right-hand and right-hand and right-hand

Body Style:

Straight shape, external coupling

Overall Length:

1.980 inches

Overall Diameter:

0.427 inches

Cable Entrance Diameter:

0.220 inches

Threaded Device Type:

Back shell and mounting bushing

Mating End Quantity:

12

Contact Position Arrangement Style:

Nonstd single mating end

Shell Type:

Solid

Connector Locking Method:

Externally threaded shell

Connector Cable Strain Relief Method:

Crimp type

End Application:

1430-01-087-6330 radar set, semitrailer

Thready Qty Per Inch (tpi):

32 and 32 and 40

Thread Size:

0.312 inches and 0.312 inches

Insert Material:

Plastic acetal single mating end

Shell Material:

Copper alloy 360

Shell Surface Treatment:

Tin and copper

Shell Surface Treatment Specification:

Mil-t-10727 military specification 1st treatment response

Shell Material Specification:

Qq-b-613, comp 11 federal specification single material response

Insert Material Specification:

L-p-392, type 2, cl 1 federal specification single material response single mating end

Bushing Accommodation Hole Shape:

Round w/double flat

Thread Series Designator:

Unef and unef and unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-t-10727 spec.