NSN 5935-01-240-6425

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-240-6425

Body Style: Straight shape, internal coupling Overall Length: 1.026 inches Overall Diameter: 0.570 inches **Environmental Protection:** Corrosion resistant and vibration resistant and moisture resistant and thermal shock resistant **Mating End Quantity: Contact Position Arrangement Style:** Bnc single mating end **Contact Removability:** Removable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet latch **Connector Cable Strain Relief Method:** Compression nut **End Application:** 5895-01-113-5344 communications term. **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, type 2, cl 1 military specification single treatment response single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Silver and copper **Shell Surface Treatment Specification:** Qq-s-365 federal specification 1st treatment response **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:**

Coaxial pin single mating end single contact grouping

Precious Material And Location:

Contact surface gold and shell surface silver

NSN 5935-01-240-6425

Electrical Plug Connector - Page 2 of 2



Precious Material And Weight:
0.005 gold grains, troy and 0.100 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.