## NSN 5935-01-242-1840

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-242-1840 **Thread Class:** 2a and 2b **Thread Direction:** Left-hand and right-hand **Body Style:** Straight shape, internal coupling **Overall Length:** 1.897 inches **Overall Diameter:** 3.156 inches **Environmental Protection:** Heat resistant and cold resistant and vibration resistant and moisture resistant and waterproof **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 40-68 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 46.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: **Connector Locking Method:** Internally threaded coupling ring **End Application:** 

Surveillance information processing center an/tsq-10 (v) 4

Thready Qty Per Inch (tpi):

16 and 10

**Thread Size:** 

2.625 inches and 2.750 inches

**Terminal Location:** 

Back single mating end single contact grouping

## NSN 5935-01-242-1840

No Fiig: A039b0

Electrical Plug Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Contact Surface Treatment Specification:
Qq-s-365 federal specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
21 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Un and double stub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: