## NSN 5935-01-243-3960

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-243-3960

**Body Style:** 

Straight shape, external coupling

**Overall Length:** 

1.049 inches

**Overall Height:** 

Between 1.292 inches and 1.332 inches

Overall Width:

Between 1.292 inches and 1.332 inches

**Environmental Protection:** 

Thermal shock resistant and shock resistant and vibration resistant and moisture resistant and corrosion resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.123 inches and 0.128 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.057 inches and 1.067 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.057 inches and 1.067 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.627 inches and 0.637 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

17-6 single mating end

Contact Removability:

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

23.0 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

Insert Position In Deg:

0.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response single mating end single contact grouping

## NSN 5935-01-243-3960

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416 federal specification single treatment response
Included Contact Quantity:
6 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.006 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.