## NSN 5935-01-243-6806

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-243-6806

**Body Style:** Straight shape, external coupling Overall Length: 0.690 inches **Overall Diameter:** 0.410 inches **Distance From Mounting Shoulder To Front Face:** 0.300 inches **Mounting Facility Thickness:** 0.130 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Removable single mating end single contact grouping **Shell Type:** Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Terminal Type:** Crimp single mating end single contact grouping **Contact Material Specification:** Qq-b-626, 1/2 h federal specification single material response single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Silver **Shell Surface Treatment Specification:** 

Qq-s-365 federal specification single treatment response **Shell Material Specification:** 

Qq-b-626, 1/2 h federal specification single material response

## NSN 5935-01-243-6806

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantit	y:
--------------------------	----

1 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Coaxial pin single mating end single contact grouping

**Precious Material And Location:** 

Contact and body surfaces silver

**Precious Material And Weight:** 

0.105 silver grains, troy

**Precious Material:** 

Silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0