## NSN 5935-01-244-2324

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-244-2324

Body Style:

Straight shape, external coupling

**Overall Length:** 

Between 1.513 inches and 1.538 inches

**Overall Height:** 

1.812 inches

**Overall Width:** 

1.812 inches

**Environmental Protection:** 

Humidity resistant and sand resistant and dust resistant and shock resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.142 inches and 0.157 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.500 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.785 inches and 0.790 inches

**Mating End Quantity:** 

1

**Contact Removability:** 

Nonremovable single mating end all contact groupings

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

16.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet pin

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Tin single mating end all contact groupings

**Contact Surface Treatment Specification:** 

Mil-t-10727 military specification single treatment response single mating end all contact groupings

**Terminal Type:** 

Solder well single mating end all contact groupings

**Shell Material:** 

Aluminum alloy

## NSN 5935-01-244-2324

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416 federal specification single treatment response
Included Contact Quantity:
8 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-t-10727 spec.