NSN 5935-01-244-9470

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-244-9470 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 6.220 inches **Overall Height:** 0.977 inches **Overall Width:** 0.366 inches **Environmental Protection:** Cold resistant and heat resistant **Distance Between Mounting Facility Centers:** 5.900 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:**

Wire wrap single mating end single contact grouping

Unable To Decode:

Unable to decode and unable to decode and unable to decode

NSN 5935-01-244-9470

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 160 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.160 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A039b0