Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-244-9471

Thread	Class:

2a

**Thread Direction:** 

Right-hand

## Body Style:

Straight shape

## **Overall Length:**

5.114 inches

#### **Overall Height:**

0.807 inches

Overall Width:

0.271 inches

**Environmental Protection:** 

Cold resistant and heat resistant

**Distance Between Mounting Facility Centers:** 

4.800 inches

Threaded Device Type:

Mounting stud

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of contacts non-inserted board single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

#### **Polarization Method:**

Guide pin/socket

Thready Qty Per Inch (tpi):

40

#### Thread Size:

0.112 inches

**Terminal Location:** 

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# **Insert Material:**

Plastic diallyl phthalate single mating end

# **Terminal Type:**

Pin single mating end single contact grouping

# NSN 5935-01-244-9471

Electrical Receptacle Connector - Page 2 of 2



Unable To Decode:
Unable to decode and unable to decode and unable to decode
Included Contact Quantity:
84 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.084 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0