Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-245-9667

# Thread Class:

2a

**Thread Direction:** 

Right-hand

## **Body Style:**

Straight shape w/screw locks

#### **Overall Length:**

1.485 inches

#### **Overall Height:**

0.789 inches

**Overall Width:** 

0.308 inches

#### **Environmental Protection:**

Moisture resistant and salt water resistant and shock resistant and vibration resistant

#### Threaded Device Type:

Coupling facility

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

37 single mating end

#### Contact Removability:

Nonremovable single mating end single contact grouping

#### **Polarization Method:**

Mating end

#### Shell Type:

Solid

#### **Connector Locking Method:**

Jackscrew

#### **End Application:**

4920-01-131-6965 test station, circuit, carousel depot

#### Thready Qty Per Inch (tpi):

56

Thread Size:

0.086 inches

# **Terminal Location:**

Back single mating end single contact grouping

# **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping

## **Insert Material:**

Glass fiber single mating end and plastic diallyl phthalate single mating end or plastic polyester single mating end

# NSN 5935-01-245-9667

Electrical Plug Connector - Page 2 of 2



#### **Contact Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

## Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Cadmium and chromate

## Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification all treatment responses

#### **Insert Material Specification:**

Mil-m-14, ty sdg-f military specification 1st material response single mating end and mil-m-14, ty sdg-f military specification 2nd material

response single mating end or mil-m-24519 military specification single material response single mating end

#### **Included Contact Quantity:**

37 single mating end single contact grouping

#### Included Contact Type:

Round pin single mating end single contact grouping

## Precious Material And Location:

Contact surfaces gold

#### **Precious Material And Weight:**

0.037 gold grains, troy

## **Precious Material:**

Gold

#### **Thread Series Designator:**

Unc

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

# A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.