NSN 5935-01-246-0957

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-246-0957

Body Style: Right angle, card **Overall Length:** 1.500 inches **Body Width:** 0.157 inches **Body Height:** 0.376 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 100.0 single mating end single contact grouping **Polarization Method:** Fixed contact to contact **Connector Locking Method:** Friction **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic single mating end and glass fiber single mating end **Contact Surface Treatment Specification:** Mil-g-45204, type 2, cl 0 military specification single treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Included Contact Quantity:** 25 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Special Features:**

Contact surfaces gold

Precious Material And Location:

Pin no. 23 is cut off

NSN 5935-01-246-0957

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.025 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.