## NSN 5935-01-246-3202

Distance between mounting holes is 1.300 in.

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-246-3202

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight type
Overall Length:
1.600 inches
Overall Width:
0.250 inches
Body Height:
0.600 inches
Environmental Protection:
Corrosion resistant and thermal shock resistant and vibration resistant
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Thready Qty Per Inch (tpi):
56
Thread Size:
0.086 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Glass fiber single mating end and plastic phenolic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Included Contact Quantity:
10 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping
Special Features:

## NSN 5935-01-246-3202

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces gold
Precious Material And Weight:
0.010 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.