Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-247-1201

# Body Style:

Straight edge type w/card guide

# **Overall Length:**

3.260 inches

# Overall Width:

0.370 inches

## Body Height:

0.610 inches

## **Board Accommodated Length:**

3.100 inches single board

# Board Accommodated Width:

0.062 inches

# Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

#### Contact Removability:

Nonremovable single mating end single contact grouping

### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

## **Connector Locking Method:**

Friction

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping and nickel alloy single mating end single contact grouping and tin alloy single mating end single contact grouping

# Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

#### **Insert Material:**

Glass fiber single mating end and plastic single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

## **Terminal Type:**

Pin single mating end single contact grouping

#### Included Contact Quantity:

60 single mating end single contact grouping

#### Included Contact Type:

Leaf spring single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

# Precious Material And Weight:

0.060 gold grains, troy

Electrical Receptacle Connector - Page 2 of 2

AeroBase Group

**Precious Material:** 

Gold

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.