NSN 5935-01-249-4784

Plug Dummy Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-249-4784 **Body Style:** Hood, corner opening **Overall Width:** 1.530 inches **Body Height:** 2.750 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 8.5 single mating end single contact grouping Shell Type: Hood, side opening **Connector Locking Method:** Jackscrew **End Application:** 4935-01-146-3456 shop set **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate and glass fiber single mating end **Criticality Code Justification:** Feat **Contact Material Specification:** Qq-b-750, comp a federal specification single material response single mating end single contact grouping **Shell Material:** Aluminum **Shell Surface Treatment:** Chromate and enamel or cadmium and chromate **Insert Material Specification:** Mil-m-14, ty sdg-f military specification all material responses single mating end **Included Contact Quantity:** 120 single mating end single contact grouping

Special Features:

Contacts a, k through dx are shorted together

Precious Material And Location:

Contact surfaces gold

NSN 5935-01-249-4784

Plug Dummy Connector - Page 2 of 2



Precious Material And Weight:
0.120 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.