NSN 5935-01-250-0436

Receptacle Dummy Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-250-0436 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 23.3 millimeters **Overall Height:** 46.0 millimeters **Overall Width:** 46.0 millimeters Center To Center Distance Between Mounting Facilities Parallel To Height: 38.1 millimeters Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 38.1 millimeters **Distance From Mounting Shoulder To Front Face:** 20.1 millimeters **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 10 **Thread Size:** 1.625 inches **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:**

Qq-p-416 federal specification single treatment response

Test Data Document:

Mil-dtl-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5935-01-250-0436

Receptacle Dummy Connector - Page 2 of 2



Thread Series Designator:
Special acme
Specification Data:
81349 - mil-dtl-38999 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-dtl-38999 spec.