NSN 5935-01-250-3330

Connector Adapter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-250-3330

Thread Class:

2b

Thread Direction:

Right-hand

Body Style:

Angle shape, external/internal coupling

Overall Length:

1.288 inches

Overall Height:

1.288 inches

Overall Width:

0.438 inches

Environmental Protection:

Moisture resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant

Threaded Device Type:

Coupling facility

Mating End Quantity:

2

Contact Position Arrangement Style:

Tnc all mating ends

Contact Removability:

Removable all mating ends single contact grouping

Shell Type:

Solid

Connector Locking Method:

Internally threaded coupling nut

Thready Qty Per Inch (tpi):

28

Thread Size:

0.438 inches

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping

Insert Material:

Plastic polytetrafluoroethylene all mating ends

Contact Surface Treatment Specification:

Mil-g-45204, type 2, cl 2 military specification single treatment response all mating ends single contact grouping

Contact Material Specification:

Qq-c-530, condition h federal specification single material response all mating ends single contact grouping

Shell Material:

Steel comp 303 or copper alloy



NSN 5935-01-250-3330

Connector Adapter - Page 2 of 2



| | atment: |
|-----------------------|--|
| Passivate or gold | |
| | eatment Specification: |
| | ederal specification single treatment response or mil-g-45204, type 2, cl 1 military specification single treatment response |
| | itary specification single treatment response |
| Shell Material Sp | |
| Qq-s-764, conditio | n a federal specification single material response or qq-c-390 federal specification single material response |
| Insert Material S | pecification: |
| Mil-p-19468 milita | ry specification single material response all mating ends |
| Included Contact | Quantity: |
| 1 all mating ends | single contact grouping |
| Included Contact | Туре: |
| Coaxial pin all ma | ting ends single contact grouping |
| Precious Materia | I And Location: |
| Contact and shell | surfaces gold |
| Precious Materia | I And Weight: |
| 0.110 gold grains, | troy |
| Precious Materia | I: |
| Gold | |
| Thread Series De | signator: |
| Unef | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| Demilitarization: | |
| No | |
| Fiig: | |
| A039b0 | |
| | Standard): |
| Mil-std (military \$ | |