Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-250-4751

Body Style:

Right angle type

Overall Length:

2.729 inches

Overall Width:

0.627 inches

Body Height:

0.494 inches

Environmental Protection:

Humidity resistant and vibration resistant and shock resistant and corrosion resistant

Unthreaded Mounting Hole Diameter:

0.120 inches

Distance Between Mounting Facility Centers:

2.500 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

13w6 single mating end

Contact Removability:

Nonremovable single mating end 1st contact grouping

Contact Maximum Current Rating In Amps:

5.0 single mating end 1st contact grouping

Polarization Method:

Mating end

Shell Type:

Solid

Connector Locking Method:

Friction

Terminal Location:

Side single mating end 1st contact grouping

Contact Material:

Copper alloy single mating end 1st contact grouping

Contact Surface Treatment:

Gold single mating end 1st contact grouping and copper single mating end 1st contact grouping

Insert Material:

Glass fiber single mating end and plastic diallyl phthalate single mating end or plastic polyester single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, cl 1 military specification 1st treatment response single mating end 1st contact grouping and mil-c-14550, cl a military

specification 2nd treatment response single mating end 1st contact grouping

Terminal Type:

Solder well single mating end 1st contact grouping

Shell Material:

Stainless steel

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Cadmium or zinc **Shell Surface Treatment Specification:** Qq-p-416, type 2, cl 2 federal specification single treatment response or astm, b633 assn standard single treatment response **Insert Material Specification:** Mil-m-14, ty sdg-f military specification all material responses single mating end or mil-m-24519, ty gpt-30f or get-30f military specification single material response single mating end **Included Contact Quantity:** 7 single mating end 1st contact grouping **Included Contact Type:** Round socket single mating end 1st contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.007 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.