NSN 5935-01-251-3478

Connector Adapter - Page 1 of 2

Contact surfaces gold



View Online at https://aerobasegroup.com/nsn/5935-01-251-3478

view Online at https://aerobasegroup.com/nsn/5935-01-251-3478	
Thread Class:	
2b and b2	
Thread Direction:	
Right-hand and right-hand	
Body Style:	
Straight shape, internal coupling	
Overall Length:	
1.480 inches	
Overall Diameter:	
0.812 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
2	
Contact Position Arrangement Style:	
Nonstd all mating ends	
Contact Removability:	
Nonremovable all mating ends single contact grouping	
Contact Maximum Frequency Rating:	
18.0 gigahertz all mating ends single contact grouping	
Shell Type:	
Solid	
Connector Locking Method:	
Internally threaded coupling ring	
Thready Qty Per Inch (tpi):	
36 and 24	
Thread Size:	
0.250 inches and 0.688 inches	
Contact Material:	
Copper alloy all mating ends single contact grouping	
Contact Surface Treatment:	
Gold all mating ends single contact grouping	
Contact Surface Treatment Specification:	
Mil-g-45204 military specification single treatment response all mating ends single conta	ct grouping
Shell Material:	
Stainless steel	
Shell Surface Treatment:	
Passivate	
Included Contact Quantity:	
1 all mating ends single contact grouping	
Precious Material And Location:	

NSN 5935-01-251-3478

Connector Adapter - Page 2 of 2



Precious Material And Weight
0.010 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Uns and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.