NSN 5935-01-253-9061

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-253-9061 **Thread Class: Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** 2.260 inches **Overall Height:** Between 2.310 inches and 2.330 inches **Overall Width:** Between 2.940 inches and 2.960 inches **Environmental Protection:** Thermal shock resistant and humidity resistant and shock resistant and vibration resistant and corrosion resistant **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.820 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.400 inches **Distance From Mounting Shoulder To Front Face:** Between 0.097 inches and 0.107 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 42 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Friction Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.138 inches

Terminal Location:

Back single mating end single contact grouping

NSN 5935-01-253-9061

Mil-m-14 spec.

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Glass fiber single mating end and plastic diallyl phthalate single mating end or plastic phenolic mineral filled single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Insert Material Specification:
Mil-m-14, ty gdi-30f and ty sdg-f military specification all material responses single mating end or mil-m-14, ty mfh military specification single
material response single mating end
Included Contact Quantity:
42 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Nuclear Hardness Critical Feature:
Hardened
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):