NSN 5935-01-254-4870

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-254-4870

Thread Directions
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
Between 1.270 inches and 1.350 inches
Overall Width:
0.200 inches
Distance Between Mounting Facility Centers:
0.990 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
2.5 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Operating Tempurature Rating:
Operating Tempurature Rating: Between -55.0 degrees celsius and 105.0 degrees celsius
Between -55.0 degrees celsius and 105.0 degrees celsius
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Nickel single mating end single contact grouping and gold single mating end single contact grouping
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Nickel single mating end single contact grouping and gold single mating end single contact grouping Insert Material:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Nickel single mating end single contact grouping and gold single mating end single contact grouping Insert Material: Plastic polyamide single mating end
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Nickel single mating end single contact grouping and gold single mating end single contact grouping Insert Material: Plastic polyamide single mating end Terminal Type:
Between -55.0 degrees celsius and 105.0 degrees celsius Thread Size: 1.4 millimeters Thread Pitch In Millimeters: 0.30 Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Nickel single mating end single contact grouping and gold single mating end single contact grouping Insert Material: Plastic polyamide single mating end Terminal Type: Pin single mating end single contact grouping

24 single mating end single contact grouping

NSN 5935-01-254-4870

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round pin single mating end single contact grouping Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.024 gold grains, troy Precious Material: Gold Thread Series Designator: Iso s Shelf Life: N/a Unit Of Measure: --Demilitarization:

No Fiig: A039b0