Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-254-5225

#### **Body Style:**

Rectangular shape

#### **Overall Length:**

0.438 inches

# **Overall Height:**

0.781 inches

#### **Overall Width:**

0.250 inches

#### **Environmental Protection:**

Humidity resistant and shock resistant and vibration resistant and thermal shock resistant

## **Unthreaded Mounting Hole Diameter:**

0.093 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

4 single mating end

## Contact Removability:

Nonremovable single mating end all contact groupings

# **Contact Maximum Current Rating In Amps:**

7.5 single mating end all contact groupings

## **Polarization Method:**

Contact

## **Connector Locking Method:**

Friction

## **Terminal Location:**

Back single mating end all contact groupings

## **Contact Material:**

Copper alloy single mating end 1st contact grouping

## **Contact Surface Treatment:**

Gold single mating end all contact groupings and nickel single mating end all contact groupings and copper alloy single mating end all contact groupings

#### **Insert Material:**

Plastic diallyl phthalate single mating end and glass fiber single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, gr c, cl 1 military specification 1st treatment response single mating end all contact groupings and qq-n-290 federal specification 2nd treatment response single mating end all contact groupings and mil-c-14550 military specification 3rd treatment response single mating end all contact groupings

## **Terminal Type:**

Solder well single mating end all contact groupings

## **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end 1st contact grouping

## Insert Material Specification:

Mil-m-14, ty sdg-f military specification all material responses single mating end

#### Included Contact Quantity:

3 single mating and 2nd contact grouping



Included Contact Type: Round socket single mating end 1st contact grouping

Precious Material And Location:

Contact surfaces gold

**Precious Material And Weight:** 

0.004 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.