## NSN 5935-01-256-4241

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-256-4241 **Body Style:** Right angle type **Overall Length:** 3.900 inches **Overall Width:** 0.400 inches **Body Height:** 0.350 inches **Environmental Protection:** Pressure proof and heat resistant and cold resistant **Mating End Quantity: Contact Maximum Ac Voltage Rating In Volts:** 1000.0 single mating end single contact grouping **End Application:** Lantirn navagation pod **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Beryllium single mating end single contact grouping and copper single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, type ii, class 1, grade c military specification single treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Included Contact Quantity:** 92 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5935-01-256-4241

Electrical Receptacle Connector - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.