

View Online at <https://aerobasegroup.com/nsn/5935-01-257-2116>

Body Style:

Straight shape, external coupling

Overall Length:

1.850 inches

Overall Diameter:

1.187 inches

Environmental Protection:

Thermal shock resistant and shock resistant and moisture resistant and vibration resistant

Distance From Mounting Shoulder To Front Face:

0.691 inches

Threaded Device Type:

Mounting bushing and back shell

Mating End Quantity:

12

Polarization Method:

Keyway or multiple keyway and key, multiple key groove

Insert Position In Deg:

0.0 and 67.0 and 164.0 and 218.0 and 280.0

Shell Type:

Solid

Connector Locking Method:

Spring friction

End Application:

1430-01-087-6338 engagement control

Insert Material:

Rubber single mating end

Shell Material:

Aluminum alloy 6061 or aluminum alloy 380.0 or aluminum alloy a380.0

Shell Surface Treatment:

Nickel and zinc

Shell Surface Treatment Specification:

Mil-c-26074, class 3 military specification 1st treatment response and astm b253 assn standard 2nd treatment response

Shell Material Specification:

Qq-a-250/8 temper h32 federal specification single material response

Bushing Accommodation Hole Shape:

Round w/flat

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-c-26074 spec.