NSN 5935-01-257-3938

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-257-3938

| Body Style: |
|---|
| Right angle, card |
| Overall Length: |
| 6.200 inches |
| Overall Width: |
| 0.385 inches |
| Body Height: |
| 0.330 inches |
| Environmental Protection: |
| Thermal shock resistant and corrosion resistant and vibration resistant and shock resistant and humidity resistant |
| Mating End Quantity: |
| 1 |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Contact Maximum Current Rating In Amps: |
| 3.0 single mating end single contact grouping |
| Contact Maximum Ac Voltage Rating In Volts: |
| 300.0 single mating end single contact grouping |
| Polarization Method: |
| Guide pin/socket |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Friction |
| Terminal Location: |
| Side single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and nickel single mating end single contact grouping |
| Insert Material: |
| Plastic polyamide single mating end |
| Contact Surface Treatment Specification: |
| Mil-g-45204, ty ii, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal |
| specification 2nd treatment response single mating end single contact grouping or mil-c-26074, cl 1 military specification 2nd treatment |
| response single mating end single contact grouping |
| Terminal Type: |
| Pin single mating end single contact grouping |
| Contact Material Specification: |

Qq-b-613, comp 260 federal specification single material response single mating end single contact grouping

Shell Material:

Aluminum

Guide Design And Location:D shape pin right-hand at 9 oclock

NSN 5935-01-257-3938

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Chromate **Shell Surface Treatment Specification:** Mil-c-5541 military specification single treatment response **Shell Material Specification:** Qq-a-200/9, type 6063-t6 or 6061-t6 federal specification single material response **Insert Material Specification:** Mil-m-20693, ty i military specification single material response single mating end **Included Contact Quantity:** 171 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.171 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** Demilitarization: No Fiig: